Spectra T120 Library

BlueScale Toolbar Option Map



General	General (Cont.)	Configuration	Configuration (Cont.)	Configuration (Cont
General Status o, A, S	Metrics O, A, S	Partitions (cleaning or storage) A, S	Drives (DLM)	System (Cont.)
-General Status	Metrics	Shared Library Services	Drives	System Setup—Other Setting
Partition Selection	Metric	- New	 Drive Traces ⁵ 	Library Name
 Drives Status > Drives screen 	 Power Consumption 	Summary	Drive Performance	Web Server Port
 Media Status > Inventory screen 	 Drive Write Performance 	- Edit	Drive Firmware Update	 Refresh Rate
Robotics Status	- Drive Read Performance	 Delete Global Spare 	Drive n	 Auto Logout Timeout
 Run All Motion Basic Tests Robot Utilization by Hour 	 Storage Density Target 	- Global Spare Usage	- Add 1	 Online Access to Spectra L
 Power Status 		Name and Media Type	- Remove ¹	Drive Performance Monitor
=Entry/Exit Port	Media Lifecycle	 C/S: Name 	– Replace ¹ – Clean	 Power Consumption Monito Enable Automatic Power-U
Power Usage	Management o, A, S	 C/S: Media Type 	– Detail	After Power Failure
Density	Media Lifecycle Management	S: Advanced	 DLM Report 	Enable SSL
	Report	- Emulation	– Test	Enable SNMP Agent
Inventory o, A, s	 Partition 	-S: Robotic Control Path	– Reset	Enable Soft Power
Inventory	 Report 	 Spare Drives (Global Spares) Slots and Drives 		 Syslog Server IP Address Network Settings
Partition	 Media Health 	 C/S: Storage Slots 		 Mail Users
 Source (for media move) Destination (for media move) 	 Remaining Capacity Load Count 	S: Entry/Exit	Controllers • Add ¹	 Auto Configuration Save
 Move Queue (defined moves) 	- Write Errors	- Standard	Remove ¹	 Date and Time
 View Source Slot 	- Cleans Remaining	- Shared	Replace ¹	
Find by Barcode	- Born on Date	– Queued Eject S: Drives	 Failover 	Media Lifecycle
 Start Moves (defined moves) 	 Exported Media 	 S: Cleaning Partition 		Management A, S
Advanced	- Last Write Time	-S: MLM Media Verification	System A, S	Media Lifecycle Management
- Upload Moves	 Last Read Time Save Report 	PreScan	System Setup—Option Enablement	Settings
 Download Inventory 	 Barcode Filter 	 Enable PreScan 	 Hardware ID 	Enable MLM
Import/Export ¹ o, A, S		■PostScan	Key	Enable Alerts for Non-MLM
Import/Export Media		 – FullScan² – QuickScan⁵ 	- Save	Media
Partition		 – QUICKScan⁻⁵ – QuickScan using Global Spare⁵ 	 Currently Installed Keys 	 Enable Alerts for Load Cou Discrepancies
Open EE Port		- Scan After Time (Days)		Discrepancies Minimum Cleaning Passes
Bulk Load		- Scan After Write	Go to Configuration (Cont.)	Before Warning
 Bulk Unload 		 Scan After Read 		 Maximum Tape Loads Before
Recycle Encrypted Media		-S: Encryption		Warning
		(Encryption user logged in) – BlueScale ²		 Enable Media Auto Discove Convert to Broadcast Hours
Go to General (Cont.))		- BlueScale Pro version ^{2, 3}		 Convert to Broadcast Hours Override Broadcast Bit Rate
		 Spectra SKLM^{3,5} 		 PostScan Blackout Periods
		- KMIP 3, 6		
		S: Fibre Channel Loop IDs (FC Drives)		
		OR		
		SCSI IDs (SCSI Drives)		
		SCSI IDs (SCSI Drives) - S: Partition Users		
		SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility		
		SCSI IDs (SCSI Drives) – S: Partition Users – S: Robotic Path Visibility – S: Drive Visibility (QIP-Attach		
		SCSI IDs (SCSI Drives) – S: Partition Users – S: Robotic Path Visibility – S: Drive Visibility (QIP-Attach drives only)		
		SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration		
		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address		
		SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration - Address - Fibre Mode		
		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present)		
		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) -Address		
		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration • Address • Fibre Mode -S: F-OIP Configuration (additional F-OIP th present) • Address • Fibre Mode		
		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration + Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) + Address -Fibre Mode -C/S: Save Library Configuration		
Maintenance	Maintenance (Cont.)	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration • Address • Fibre Mode -S: F-OIP Configuration (additional F-OIP th present) • Address • Fibre Mode	- Status Bar	
Maintenance	Maintenance (Cont.)	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration + Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) + Address -Fibre Mode -C/S: Save Library Configuration	Status Bar	
		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration + Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) + Address -Fibre Mode -C/S: Save Library Configuration	Status Bar	
Package Update A, s		SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) -Address -Fibre Mode -C/S: Save Library Configuration -C/S: Save Partition	Refresh	
Package Updates	AutoSupport A, s	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) -Address -Fibre Mode -C/S: Save Library Configuration -C/S: Save Partition Go to Configuration (Cont.)	Refresh HHM Notification (when maintenance	
Package Update A, s	AutoSupport A, S Send Log Set • Select Profile to Send Log Set	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) -Address -Fibre Mode -C/S: Save Library Configuration -C/S: Save Partition	Refresh	et
Package Updates	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) -Address -Fibre Mode -C/S: Save Library Configuration -C/S: Save Partition Go to Configuration (Cont.)	Refresh HHN Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S	et
Package Update Begin Library Update Begin Drive Update	AutoSupport Send Log Set Select Profile to Send Log Set Select Ticket Type Profile Summary	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration -Address -Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) -Address -Fibre Mode -C/S: Save Library Configuration -C/S: Save Partition Go to Configuration (Cont.)	Refresh HIM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status	et
Package Update	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration - Address - Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partition	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages	et
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Package Servers	AutoSupport Send Log Set Select Profile to Send Log Set Select Ticket Type Profile Summary	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Q.A.S - Library Controller: Login	Remote Support	et
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket - Manage Profiles • New Profile • Remove	SCSI IDs (SCSI Drives) -S: Partition Users -S: Robotic Path Visibility -S: Drive Visibility (QIP-Attach drives only) -S: Exporting F-QIP Configuration - Address - Fibre Mode -S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partition	Remote Support Last Refresh	et
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Auto Download Options Tools A.S	AutoSupport A, 5 Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket • Manage Profiles • New Profile	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Q.A.S - Library Controller: Login	Remote Support	et
Package Update A, B Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A, B Utilities	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket - Manage Profiles • New Profile • Remove	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Users - Uibrary Controller: Login - Edit Users - Users	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access)	iet
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A.S - Utilities - Basic Utilities List	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket - Manage Profiles • New Profile • New Profile • Remove • Edit Profile - Configure Alarms	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Library Controller: Login - Library Users - Delete	Remote Support Last Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) OR-	iet
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A.S Utilities Basic Utilities List Uplad Backup Configuration	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket • Manage Profiles • New Profile • Remove • Edit Profile • Configure Alarms Log Forwarding	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Library Controller: Login - Edit Users - Delete - Edit	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access)	et
Package Update A, B Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A, B Utilities Basic Utilities List Upload Backup Configuration Advanced Utilities List ⁴	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket - Manage Profiles • New Profile • New Profile • Remove • Edit Profile - Configure Alarms	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Library Controller: Login - Edit Users - Delete - Edit - Add/Update User	Remote Support Last Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) OR-	iet
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A.S Utilities Basic Utilities List - Uplad Backup Configuration	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket • Manage Profiles • New Profile • Remove • Edit Profile • Configure Alarms Log Forwarding	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Library Controller: Login - Edit Users - Delete - Edit	Remote Support Last Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) OR-	iet
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A.S Utilities • Basic Utilities List • Upload Backup Configuration • Advanced Utilities List • Save MLM Database	AutoSupport A.S Send Log Set • Select Tricket Type • Profile Summary • Confirm and Submit Tricket • Manage Profiles • New Profile • Remove • Edit Profile • Configure Alarms • Log Forwarding Media Lifecycle Management	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Drive Visibility (QIP-Attach drives only) - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Library Controller: Login - Edit Users - Delete - Edit - Add/Update User - Edit - Add/Update User - Password	Remote Support Last Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) OR-	et
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Manage Packages Servers Auto Download Options Tools A.S Utilities • Basic Utilities List • Upload Backup Configuration • Advanced Utilities List • Save MLM Database - Restore MLM Database - HHM: View Data Traces	AutoSupport AS Send Log Set Select Profile to Send Log Set Select Trokte to Send Log Set Profile Summary Confirm and Submit Ticket Manage Profiles New Profile Remove Edit Profile Configure Alarms Log Forwarding Media Lifecycle Management Media Lifecycle Management Sover Media Select Partition	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Library Controller: Login - Edit Users - Delete - Edit - Add/Update User - Desword Encryption s	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) — OR— Library Name (remote access)	iet
Package Update A, B Begin Library Update Begin Drive Update Manage Packages Auto Download Options Tools A, B Utilities Basic Utilities List - Upload Backup Configuration - Advanced Utilities List - Save MLM Database - Restore MLM Database - HHM: View Data Traces - System Traces	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Profile to Send Log Set • Select Profile to Send Log Set • Profile Summary • Confirm and Submit Ticket • Manage Profiles • New Profile • Remove • Edit Profile • Configure Alarms • Log Forwarding • Media Lifecycle Management • Media Lifecycle Management • Discovery Media • Stelect Partition • Stop Discovery 2 [°] (only visible	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Library Controller: Login - Edit Users - Delete - Edit - Add/Update User - Delete - Edit - Add/Update User - Delete - Edit - Add/Update User - Delete - Edit - Add/Update User - Delete - Edit - RadyUpdate User - Delete - Edit - Call User S - Delete - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Call User - Delete - Edit - Call User - Call Us	Remote Support Last Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) OR-	
Package Update	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Ticket Type • Profile Summary • Confirm and Submit Ticket • Manage Profiles • New Profile • Remove • Edit Profile • Configure Alarms • Log Forwarding • Media Lifecycle Management • Media Lifecycle Management • Media Lifecycle Management • Stop Discovery Media is running)	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - C/S:	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access)	h screen only.
Package Update A, B Begin Library Update Begin Drive Update Manage Packages Manage Packages Auto Download Options Tools A, B Utilities Basic Utilities List • Upload Backy Configuration • Advanced Utilities List ⁴ • Save MLM Database • Restore MLM Database • HHM: View Data Traces • System Traces • Component Traces	AutoSupport A.S Send Log Set • Select Profile to Send Log Set • Select Profile to Send Log Set • Select Profile dubrit Ticket • Manage Profiles • New Profile • Remove • Edit Profile • Configure Alarms • Log Forwarding • Media Lifecycle Management • Discover Media • Stop Discovery ² (only visible when Discover y ² (only visible when Discover y ² (only visible when Discover y ² (only visible	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-OIP Configuration (additional - F-OIP foresent) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partition	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) — OR— Library Name (remote access)	th screen only. e Channel drives.
Package Update Begin Library Update Begin Drive Update Manage Packages Manage Packages Servers Auto Download Options Tools Utilities Basic Utilities List Upload Backup Configuration Advanced Utilities List ⁴ - Save MLM Database - Restore MLM Database - HHM: View Data Traces - System Traces - Component Traces - Component Traces	AutoSupport A.5 Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - New Profile - Manage Profiles - New Profile - Remove - Edit Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Select Partition - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan ² (only visible when DestScan is running)	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition Go to Configuration (Cont.) - Security - Switch User - CALS - Library Controller: Login - Edit Users - Delete - Edit - Add/update User - User - Password Encryption Security - Single User Mode	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access)	-h screen only. e Channel drives. on key.
Package Update Begin Library Update Begin Drive Update Manage Packages Manage Packages Auto Download Options Tools Basic Utilities List Utilities Basic Utilities List Utilities List Utilities Save MLM Database - HHM: View Data Traces System Traces Component Traces Diagnostics As	AutoSupport A.S Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Troktet Type - Profile Summary - Confirm and Submit Ticket - Manage Profiles - New Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan ² (only visible when PostScan ² (only visible when PostScan s running) - Manual PostScan	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - C/S:	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access) Notes: 1) Available at the library's front panel touc 2) Requires LTO-4 or later generation Fibr 3) Only available with a purchased activati 4) Do not use any Advanced Utilities excep	-h screen only. e Channel drives. on key.
Package Update A, B Begin Library Update Begin Drive Update Manage Packages Manage Packages Auto Download Options Tools A, B Utilities Basic Utilities List Upload Backup Configuration Advanced Utilities List - Save MLM Database - Restore MLM Database - HHM: View Data Traces - System Traces - Component Traces - Component Traces - Component Traces - Motion Diagnostics - Motion Diagnostics	AutoSupport A.5 Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - New Profile - Manage Profiles - New Profile - Remove - Edit Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Select Partition - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan ² (only visible when DestScan is running)	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partiti	Notes: 1 Notes: 1 Notes: 1 0.01 yavailable with a purchased activatif 0.01 yavavail	th screen only. e Channel drives. on key. t those listed here unless instructed
Package Update A.S Begin Library Update Begin Library Update Manage Packages Manage Packages Servers Auto Download Options Tools A.S Utilities • Basic Utilities List • Uplade Backup Configuration • Advanced Utilities List • Uplade Backup Configuration • Advanced Utilities List • Save MLM Database - Restror MLM Database - Traces • System Traces • Component Traces • Diagnostics A.S Motion Diagnostics	AutoSupport A.S Send Log Set Select Profile to Send Log Set Select Profile to Send Log Set Select Tricket Type Profile Summary Confirm and Submit Ticket Manage Profile Remove Edit Profile Configure Alarms Log Forwarding Media Lifecycle Management Media Lifecycle Management Media Lifecycle Management Media Lifecycle Management Media Lifecycle Management Stop Discovery ² (only visible when Discover Media is running) Pause PostScan ² (only visible when PostScan is running) Manual PostScan Deleter MLM Records Download MLM Database (remote access only)	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - C/S:	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S • System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access) Notes: 1) Available at the library's front panel touc 2) Requires LTO-4 or later generation Fibr 3) Only available with a purchased activatii 4) Do not use any Advanced Utilities except to do so by SpectraGuard® Support. 5) Requires LTO-5 or later generation Fibr	-h screen only. e Channel drives. on key. t those listed here unless instructed e Channel drives.
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Auto Download Options Tools A.S Utilities Basic Utilities List Utilities Basic Utilities List Utilities Basic Utilities List Utilities Basic Utilities List Utilities Basic Utilities List A.S Basic Utilities List A.S Basic Utilities List Basic Utilities List Basic Utilities Basic Utilities List Basic Utilities	AutoSupport A.5 Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile Submit Ticket - Manage Profiles - New Profile - Remove - Edit Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Select Partition - Stop Discovery ² (only visible when Discover Media - Select Partition - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan is running) - Manual PostScan is running) - Delete MLM Records - Download MLM Database (remote access only) - Download MLM Database (remote	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - Go to Configuration (Cont.) - Security - Switch User - Configuration (Cont.) - Configuration (Cont.) - Configuration - Edit Users - Delete - Edit - Add/Update User - User - Delete - Edit - Add/Update User - User - Password Encryption Configuration - Configure - Single User Mode - Multi-User Mode (BlueScale - Barty BlueSer Mode (BlueScale) - Barty BlueSer Mod	Notes: 1 Notes: 1 Notes: 1 0.01 yavailable with a purchased activatif 0.01 yavavail	-h screen only. e Channel drives. on key. t those listed here unless instructed e Channel drives.
Package Update A.S Pegin Library Update Begin Drive Update Manage Packages Manage Package Servers Auto Download Options Tools A.S Utilities Basic Utilities List Upload Backup Configuration Advanced Utilities List ² - Save MLM Database - Restore MLM Database - HHM: View Data Traces - Component Traces - Component Traces - Component Traces - Motion Diagnostics - Motion Diagnostics List	AutoSupport A.S Send Log Set Select Profile to Send Log Set Select Profile to Send Log Set Select Tricket Type Profile Summary Confirm and Submit Ticket Manage Profile Remove Edit Profile Configure Alarms Log Forwarding Media Lifecycle Management Media Lifecycle Management Media Lifecycle Management Media Lifecycle Management Media Lifecycle Management Stop Discovery ² (only visible when Discover Media is running) Pause PostScan ² (only visible when PostScan is running) Manual PostScan Deleter MLM Records Download MLM Database (remote access only)	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partiti	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S • System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access) Notes: 1) Available at the library's front panel touc 2) Requires LTO-4 or later generation Fibr 3) Only available with a purchased activati 4) Do not use any Advanced Utilities except to do so by SpectraGuard® Support. 5) Requires LTO-5 or later generation Fibr Library user types: Superuser, Administr	th screen only. e Channel drives. on key. t those listed here unless instructed e Channel drives. e Channel drives. ator, and Operator
Package Update Ass Begin Library Update Begin Drive Update Manage Packages Auto Download Options Tools Utilities Basic Utilities List Upload Backup Configuration Advanced Utilities List Upload Backup Configuration Advanced Utilities List Save MLM Database - Restore MLM Database - HMW: View Data Traces System Traces System Traces Motion Diagnostics Motion Diagnostics List Previous Results	AutoSupport A.5 Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile Submit Ticket - Manage Profiles - New Profile - Remove - Edit Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Select Partition - Stop Discovery ² (only visible when Discover Media - Select Partition - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan is running) - Manual PostScan is running) - Delete MLM Records - Download MLM Database (remote access only) - Download MLM Database (remote	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partition	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access) Notes: 1) Available at the library's front panel touc 2) Requires LTO-4 or later generation Fibr 3) Only available with a purchased activati 4) Do not use any Advanced Utilities except to do so by SpectraGaurd [®] Support. 5) Requires LTO-5 or later generation Fibr 6) Requires LTO-6 or later generation Fibr	th screen only. e Channel drives. on key. t those listed here unless instructed e Channel drives. e Channel drives. ator, and Operator
Package Update Ass Begin Library Update Begin Drive Update Manage Packages Auto Download Options Tools Utilities Basic Utilities List Upload Backup Configuration Advanced Utilities List Upload Backup Configuration Advanced Utilities List Save MLM Database - Restore MLM Database - HMW: View Data Traces System Traces System Traces Motion Diagnostics Motion Diagnostics List Previous Results	AutoSupport A.5 Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile Submit Ticket - Manage Profiles - New Profile - Remove - Edit Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Select Partition - Stop Discovery ² (only visible when Discover Media - Select Partition - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan is running) - Manual PostScan is running) - Delete MLM Records - Download MLM Database (remote access only) - Download MLM Database (remote	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional - F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Library Configuration - C/S: Save Partition - C/S:	Refresh HHM Notification (when maintenance threshold is reached) • Send AutoSupport Ticket > Send Log S • System Status • System Messages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) —OR— Library Name (remote access) Notes: 1) Available at the library's front panel touc 2) Requires LTO-4 or later generation Fibr 3) Only available with a purchased activati 4) Do not use any Advanced Utilities except to do so by SpectraGuard® Support. 5) Requires LTO-5 or later generation Fibr Library user types: Superuser, Administr	th screen only. e Channel drives. on key. t those listed here unless instructed e Channel drives. e Channel drives. ator, and Operator ible to this user type:
Package Update A.S Begin Library Update Begin Drive Update Manage Packages Auto Download Options Tools A.S Utilities Basic Utilities List Utilities Basic Utilities List Utilities Basic Utilities List Utilities Basic Utilities List Utilities Basic Utilities List A.S Basic Utilities List A.S Basic Utilities List Basic Utilities List Basic Utilities Basic Utilities List Basic Utilities	AutoSupport A.5 Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile to Send Log Set - Select Profile Submit Ticket - Manage Profiles - New Profile - Remove - Edit Profile - Configure Alarms - Log Forwarding - Media Lifecycle Management - Media Lifecycle Management - Select Partition - Stop Discovery ² (only visible when Discover Media - Select Partition - Stop Discovery ² (only visible when Discover Media is running) - Pause PostScan is running) - Manual PostScan is running) - Delete MLM Records - Download MLM Database (remote access only) - Download MLM Database (remote	SCSI IDs (SCSI Drives) - S: Partition Users - S: Robotic Path Visibility - S: Exporting F-QIP Configuration - Address - Fibre Mode - S: F-QIP Configuration (additional F-QIP if present) - Address - Fibre Mode - C/S: Save Library Configuration - C/S: Save Partition - C/S: Save Partition	Refresh HHM Notification (when maintenance threshold is reached) Send AutoSupport Ticket > Send Log S System Massages Remote Support Last Refresh (time and date) BlueScale Software Version Library IP Address (local access) -OR- Library IP Address (local access) -OR- Library Last at the library's front panel toud 2) Requires LTO-4 or later generation Fibr 3) Only available with a purchased activatif 4) Do not use any Advanced Utilities except to do so by SpectraGuard® Support. 5) Requires LTO-5 or later generation Fibr 6) Requires LTO-6 or later generation Fibr 10) Requires	h screen only. e Channel drives. on key. t those listed here unless instructed e Channel drives. e Channel drives. e Channel drives. ator, and Operator able to this user type: ary use, configuration, and security.

This map is current for the BlueScale12.7.03 release. The BlueScale user interface changes as features are added or modified. Check support.spectralogic.com/documentation/user-guides/, or the *Spectra T120 Library Release Notes and Documentation Updates* on the Technical Support Portal to see if you have the latest version of this document.

© 2011-2017 BlueScale, CC, Spectra, SpectraGuard, Spectra Logic, TeraPack, and TranScale are registered trademarks of Spectra Logic Corporation. ArchiveGrade, BlackPearl, IntraCloud, nTier Verde, and Verde are trademarks of Spectra Logic Corporation. All rights reserved worldwide. All other trademarks and registered trademarks are the property of their respective owners.

LIBRARY USER OVERVIEW

The library's BlueScale interface offers three types of user groups. The following table describes the types of privileges each user group has when operating the library.

User Type ^{a, b}	Responsibilities (See designation indicators in the map on page 1)	Default User Name
Superuser	Controls all aspects of library use, configuration, and security.	su
Administrator	Performs all operations except creating or modifying library users, accessing the encryption features, enabling Automatic Power-Up After Power Failure, and using the Soft Power feature.	administrator
Operator	Performs daily operations (move, import, and export media).	operator

a. By default, passwords are not required.b. If encryption is enabled, there is an additional, separate encryption password for accessing the encryption features.

ADDITIONAL INFORMATION

Use the links in the following table to locate additional useful information.

Resource	Internet Address	Information	
Product Documentation ^a	support.spectralogic.com/documentation/	Related documentation in PDF format	
Technical Support Portal ^a	support.spectralogic.com	 Provides access to the following resources: Knowledge Base articles and FAQs Support incident and service agreement management Library and tape drive firmware and drivers Professional Services requests Additional service and support tools 	
Knowledge Base ^a	support.spectralogic.com/knowledge-base/	Helpful Knowledge Base articles and FAQs	
Compatibility	support.spectralogic.com/documentation/ compatibility-matrices/	Compatibility matrices	
Options and Media	shop.spectralogic.com/	Links for purchasing library accessories, such as Spectra Certified Media, barcode labels, media accessories, and air filters	
Contact	support.spectralogic.com/content/support- contact-info/	General Support contact information	
Warranty	support.spectralogic.com/services-and- contracts/master-services-agreement/	Warranty terms and conditions	

a. Requires a user account associated with the library serial number for full access. See the Spectra T120 User Guide for detailed instructions.

TECHNICAL SUPPORT CONTACT INFORMATION

Spectra Logic Technical Support	Portal:	support.spectralogic.com	
	Location:	United States and Canada	Europe, Middle East, Africa
	Phone:	1.800.227.4637 (toll free US/Canada) or 1.303.449.0160	44 (0) 870.112.2150
	Location:	Mexico, Central and South America, Asia, Australia, and New Zealand	Deutsch Sprechende Kunden
	Phone:	1.303.449.0160	49 (0) 6028.9796.507 Email: spectralogic@stortrec.de